

## Haigh Beck & graphical cost-effectiveness tool


**Goal: value unvalued co-benefits Nature-Based Solutions (NBS)!** Case study: Urban **Haigh Beck** runs 2000m from spring to River Aire with 100m drop, flows into/under canal. **Surface flooding** in neighborhoods near river & canal at ~1:15yrs AEP. New flood defense walls near river cover 1:200yrs AEP but trap beck: limited pump action  $Q_T=0.245\text{m}^3/\text{s}$ . Canal segment for large flood storage between locks is  $7.5\text{km} \times 10\text{m} \times 1.5\text{m}$  with several overflows. **Combined Sewer Overflow (CSO)** pollutes beck.

**Flooding, polluted, 06-05-2024 of 6 Bradford apartments** (~1:15yrs AEP):



Haigh Beck-canal-dyehouse Mill  
<https://www.youtube.com/shorts/T9mh2MOKA3s>

canal-apartments of Mill  
<https://www.youtube.com/shorts/JIE3CoXOVFe>



**Flood—Excess Volume (FEV):** volume that caused damage [1,4];

~numerical modelling (LCC/BMDC) 1:50yrs Haigh Beck flood:

$$FEV = \int_{t_0}^{t_0+T} Q(t) - Q_T dt = 9600\text{m}^3 = 98 \times 98 \times 1\text{m}^3 \text{ sense of size!}$$

i: Measure	Base cost $q_i$ (£)	Probability $p_i$ (/50yrs)	Damage $q_{p_i}$ (£)	Total (£)
1: C1	500(900)	1	70	570(970)
2: B2	385	0.25	200	435
3: FP3	400	0.05	200	410
B2+FP3	-	-	-	845

**Base costs, probabilities & damage costs:**

To obtain estimate for  $q_{p1}$ , start from £ 1.7M repair costs of a culvert breach, emptying 60km of the Leeds-Liverpool canal (2021-2022 CRT). Since the canal stretch involved in C1 is 7km, 1/8 of those costs are involved so ~£ 210k, of which £ 140k are standard costs occurring even in the absence of flood storage in the canal, so £ 70k extra investment. Base costs: C1  $q_1 =$  £ 500k, plus extra costs for (optional) 200m pipeline to separate CSO from beck £ 400k (clean-up). **Actual figures difficult to obtain in real cases** (~10xFOIs!),  $q_2+q_3=785\text{k}$  given; other figures estimated, e.g.,  $q_{p2}=q_{p3}=$  £ 200k, see Table above.

**Utility functions  $u_1$  and  $u_2$ :**

$$u_1 = \sum_{j=1}^2 w_j C_j \text{ without co-benefits, weights } w_j=0,1. \text{ B2+FP3 best.}$$

$$u_2 = \sum_{j=1}^2 w_j C_j - \sum_{k=1}^N a_{jk} B_{jk} \text{ with co-benefits } B_{jk}, B_{2k}=0, N_1=5. \text{ Take } B_{11} = -q_{1CSO} = \text{£ } 400\text{k (no pollution beck/clean canal).}$$

**But value benefits unknown:**  $B_{12} = q_{1cc}$  (extra climate-change canal storage);  $B_{13} = q_{1D}$  (drought benefits beck flow into canal);  $B_{14} = q_{1E}$  (ecological value beck water in canal);  $B_{15} = q_{1clean}$  (clean beck & canal). Difference  $D =$  £ 125k costs C1 (w. CSO) - (B2+FP3). When we are **willing to assign** combined benefits  $B_1 = \sum_{k=2}^5 B_{1k} > D$  in 50yrs, scenario **C1** becomes best: **break-even** £ 2.5k p/a.

## Info-gap theory values NBS co-benefits!

**Info-gap decision theory** (Ben-Haim [5]) consists of three components:

(i) Costs  $\tilde{U}_1 = C_1 + p_1 q_{p1} + \alpha_{11} q_{1CSO} - \alpha_1 B_1$ ,  $\tilde{U}_2 = C_2 + p_2 q_{p2} + p_3 q_{p3}$  benefits combined into  $B_1$ ,  $\alpha_{11} = \alpha_1 = 1$ , i.e., models  $U_1$ ,  $U_2$  for scenarios C1 and B2+FP3.

(ii) Performance requirements costs  $m_i(h) < C_s$ , costs & uncertainty models  $l_1(h)$ ,  $l_2(h)$  for C1, B2+FP3:


$$m_1(h) = \tilde{U}_1 - \alpha_1 h s_1 \leq C_s, \quad \tilde{U}_1 = C_1 + p_1 q_{p1} + \alpha_{11} q_{1CSO}$$

$$m_2(h) = \tilde{U}_2 + h s_2 \leq C_s, \quad \tilde{U}_2 = C_2 + p_2 q_{p2} + p_3 q_{p3}$$

$$l_1(h) = \frac{|B_1|}{s_1} \leq h, \quad l_2(h) = \frac{|U_2 - \tilde{U}_2|}{s_2} \leq h$$


Robustness becomes:  $h(C_s) = \frac{(\tilde{U}_1 - C_s)}{\alpha_1 s_1} \geq 0$ ,  $h(C_s) = \frac{(C_s - \tilde{U}_2)}{s_2} \leq 0$  (graph below).

(iii) Performance aspiration or opportuneness [5,6]. ( $U_1$ ,  $U_2$  models, estimates with tildes.)



**Discussion:** C1 has factually **unvalued** co-benefits but costs higher than those of B2+FP3 (starting point of lines at  $h=0$ ). For known costs of B2+FP3 such that  $s_2 \rightarrow 0$ , red dot at cross-over sets value of £ 2.5k p/a, **quantifying co-benefits**. C1 can be more robust than B2+FP3.

Decision-makers decide whether co-benefits worth extra money. **Critique:** Info-gap vs. Bayesian analysis? **Outcome: unvalued NBS benefits can be valued robustly!**



**Flood-mitigation scenarios** shown in square-lake graphs [1,2,3,4]:

**C1 canal:** beck diverted into canal, automated gate to divide water into canal/culvert, coverage of  $\alpha \times FEV$  with  $\alpha > 1$ , costs  $q_1 + p_1 q_{p1}$ , excess FEV coverage. Benefits Nature-Based Solutions: anti-drought, clean canal, extra storage for climate change; split CSO spills from beck to limit/cut Combined Sewer Overflows; extra costs:  $-B_{11} = q_{1CSO}$ .

**B2+FP3 bund & flood-plain storage:**  $1.0 \times FEV$ . **B2 upstream bund:** in flatter areas, partial prevention  $\alpha_2 \times FEV$  with  $\alpha_2 = 0.4$ , costs  $q_2 + p_2 q_{p2}$ .

**FP3 culvert from canal to river opened** at playing fields (protective flood plains), pumping needed, partial prevention  $\alpha_3 \times FEV$  with  $\alpha_3 = 0.6$ , costs  $q_3 + p_3 q_{p3}$ .

### References

- [1] Bokhove, Kent, Kelmanson, Piton, Tacnet 2020: *Water 12*. <https://doi.org/10.3390/w12030552>
- [2] Bokhove, Kelmanson, Kent, Hicks 2021: REF2021 Impact Case Study. <https://results2021.ref.ac.uk/impact/0ad7c1be-8e91-4aac-ab57-6c1e873cd3f1?page=1>
- [3] Bokhove 2024: LMS recorded talk (our tool catches errors!): <https://www.youtube.com/watch?v=RKVoV3y5ImE>
- [4] Knotters, Bokhove, Lamb, Poortvliet 2024: *Cambridge Prisms: Water 2*:e6. <https://doi.org/10.1017/wat.2024.4>
- [5] Ben-Haim 2019: Info-Gap Decision Theory (IG). In: Decision making under deep uncertainty. <https://doi.org/10.1017/wat.2024.4>
- [6] Bokhove 2025: Info-gap assessment. Slides: <https://obokhove.github.io/EGU2025BokhoveVienna2025.pdf>